

A system for constructing relatively small polyhedra from Sonobé modules.¹

Adrian Riskin
 Department of Mathematics
 Mary Baldwin College
 Staunton, VA 24401 USA
 ariskin@mbc.edu

Anyone familiar with the Sonobé module has probably assembled both the augmented octahedron and the augmented icosahedron². Instructions for both appear in both Kasahara and Takahama and in Mukerji, and can also be found on most of the innumerable websites discoverable by googling the word “Sonobé”. Kasahara and Takahama give some sketchy instructions on how to build some other polyhedra with these modules. Some of their models are relatively small but their concentration, as does that of the websites, turns rapidly to monstrously large polyhedra containing hundreds or even thousands of units. Thus the casual explorer of the wonders of the Sonobé module, who perhaps has no desire to fold thousands of units before construction can even begin, is left without many new models small enough to be built in half an hour or so.


If you have an augmented octahedron at hand, look at it carefully and notice that it consists of eight equilateral triangles capped off by low 3-sided pyramids. The key insight here is that other polyhedra all of whose faces are equilateral triangles can also be constructed in their augmented versions out of Sonobé modules. Such polyhedra are called *deltahedra* after the Greek capital letter delta: Δ . The icosahedron is a deltahedron, which is why an augmented version can be constructed of Sonobé modules. It turns out that there are six other convex deltahedra besides the octahedron and the icosahedron [see 1, 6]. These references are useful because they include instructions for making paper models of the deltahedra, which in turn are useful for designing augmented Sonobé versions. As you become more familiar with the system described here you will be able to dispense with the paper models. There are also infinitely many nonconvex deltahedra. In theory augmented versions of any of them could be constructed from Sonobé modules. In practice, however, not all are constructible because steep angles between the faces of a given deltahedron can force the pyramidal caps to intersect which (unfortunately) isn’t possible with standard origami paper.

Now, as you stare at the augmented octahedron, notice that there are two kinds of vertices: The kind at the tips of the 3-sided pyramids and the kind where four pyramids come together. There are six of the second kind, which correspond to the six original vertices of the octahedron. For any given deltahedron it is the pattern in which these original vertices are connected along with the number of pyramids at each one which determine the construction of the augmented version. Given any deltahedron it is possible to draw a diagram which will serve as a blueprint for the

¹ This article assumes a basic familiarity with the Sonobé module, including the ability to construct an augmented icosahedron. [3] (pp. 42ff) and [5] each contain excellent introductions

²Often erroneously called “stellated”. A polyhedron is augmented by capping each face with a pyramid.


construction of an augmented Sonobé version. The diagram for the octahedron looks like this:



Look at the octahedron again. Notice that each of the original vertices not only has four pyramids meeting at it but also has eight edges meeting at it. Of these eight edges, four are “mountain” edges, which go to the tip of one of the pyramids, and four are “valley” edges, which go to another one of the original vertices in the diagram. One can construct the octahedron from the diagram by choosing an original vertex to start at, putting four Sonobés in a cycle to represent the four valley edges, and then adding four more modules in the usual manner to make four pyramids surrounding the original vertex. Then choose one of the four original vertices connected to the starting vertex by an edge in the diagram, consult the diagram to see that it is meant to be surrounded by four pyramids, add sufficient Sonobés in a cycle around that vertex to make four, and then complete the necessary pyramids. Continue in this manner until the model closes itself off, which will happen automatically.

Now let’s try the method with a new deltahedron: The pentagonal dipyrmaid. As far as I can ascertain, instructions for constructing an augmented version of this polyhedron out of Sonobé modules have never appeared either in print or on the


internet³. Imagine a 5-sided pyramid made of equilateral triangles with a regular pentagon for a base. Now imagine sticking two of these together along their pentagonal bases to create a deltahedron with ten faces. It may be possible for you to imagine this clearly enough to see that the diagram of the original vertices of this deltahedron is:



Now try constructing the augmented version with modules. Note that this deltahedron has ten faces. The number of modules necessary for constructing an augmented version of a deltahedron is always $\frac{3}{2}$ times the number of faces in the original deltahedron, so that fifteen modules will be necessary. If you find it too difficult to imagine the polyhedron clearly enough to draw the above diagram it will probably be helpful to make a rough paper model of it first. Enlarge and copy the next diagram, cut it out and fold and tape it into a model of the pentagonal dipyramid (this kind of diagram is called a *net* of the polyhedron). Nets for all the convex deltahedra are available at [6], as well as rotatable pictures of some of the many nonconvex ones.

By means of this system it is possible to construct models of all the augmented convex deltahedra, as well as some others. One particularly interesting nonconvex deltahedron to construct is obtained from a cube by capping each of the six square faces with a pyramid which has four equilateral triangular sides. Instructions for

³Instructions for constructing a modular version of this augmented polyhedron out of another module are given in [4], but the process is not theorized.



making a beautiful semi-skeletal model of this 24-sided deltahedron can be found in [2]. Another good one is obtained by augmenting a tetrahedron in the same way — by capping off each of the four sides with another tetrahedron. Finally, any polyhedron whose faces consist of only equilateral triangles and regular hexagons can be considered to be a deltahedron by dissecting the hexagonal faces into six equilateral triangles. The simplest such polyhedron is the truncated tetrahedron, formed from a tetrahedron by cutting off four tetrahedral tips to create four equilateral triangles and four regular hexagons. Augmented polyhedra with hexagonal faces seem to be less stable than the others. That's my method, and here's a challenge: I wonder if anyone can create augmented toroidal deltahedra from Sonobés? I haven't found a way to do it yet. Happy folding!

References

1. Freudenthal, H. and van der Waerden, B. L. "On an Assertion of Euclid." *Simon Stevin* 25, 115-121, 1947.
2. Fusé, Tomoko. *Unit Polyhedron Origami*. Japan Publications. 2006. Tokyo.
3. Kasahara, K. and Takahama, T. *Origami for the Connoisseur*. Japan Publications. 1987. Tokyo.
4. Kasahara, K. *Origami Shinhakken 2* (in Japanese). Nichibou Publishing House 2006. Tokyo.
5. Mukerji, Meenakshi. *Marvelous Modular Origami*. A. K. Peters. 2007. Wellesley, Massachusetts, USA.
6. Weisstein, Eric W. "Deltahedron." From *MathWorld—A Wolfram Web Resource*. <http://mathworld.wolfram.com/Deltahedron.html>